

Prescription Treatment[®] brand **CLEAR ZONE[®]**

Metered Pyrethrins Spray III

ONE MONTH SUPPLY • FOR INDOOR USE ONLY

KILLS: Flies, Gnats, Mosquitoes and Small Flying Moths

FOR USE IN AND AROUND: Food Handling Establishments, Commercial or Institutional Kitchens, Dining Areas and Pantries of Restaurants, Supermarkets, Food Plants, Food Warehouses, Bottling Plants, Hotels, Motels, Stores, Kennels, Dairies, Farms, Barns, Stables, Milk and Egg Handling Areas of Dairies and Chicken Houses

ACTIVE INGREDIENTS:

Pyrethrins, *a botanical insecticide* 1.0%
Piperonyl Butoxide, technical* 5.0%

OTHER INGREDIENTS 94.0%

Contains Petroleum Distillates

TOTAL: 100.0%

* Equivalent to 4.0% (butylcarbonyl) (6-propylpiperonyl) ether and 1.0% related compounds

EPA REG. NO. 499-513

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mists. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not use in nurseries or rooms where infants, ill or aged people are confined. Large drafts of forced ventilation may reduce or eliminate the insecticidal

efficacy of these installations. Do not install directly over any food handling or dispensing areas.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not allow spray to contact plastic, painted or varnished surfaces.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- Do not use in nurseries or rooms where infants, ill or aged persons are confined.
- Do not place metering device directly over or within 8 ft of exposed food, dishes, utensils, food processing equipment and food handling or preparation.
- Do not install within 3 ft of air vents.
- Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.

This product contains a highly effective insecticide formulation especially designed for use in automatic metered dispensers.

For Use with Automatic Metered Dispenser: One dispenser per 6,000 ft² should be considered an average need, with adjustments made on specific conditions at place of usage. The dispenser activates the metered valve once every 15 min. Effectiveness of this product will be noticeable within 1 hr after the dispenser is activated. Recommended use is for 24 hr control; but if less than 24 hr control is required, the dispenser should be set to start 1 hr before control is desired and run 1 hr

after control is no longer needed. Factors such as airflow rate, size of space treated, humidity and room temperature affect insect activity and control. Therefore, 1 unit per 6,000 ft² of unobstructed space should be considered as an average with adjustments made depending on specific conditions at usage site. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. It is suggested that the container be changed once a month (when operated on a 24 hr basis).

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry, well ventilated area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682

© 2007 Whitmire Micro-Gen Research Laboratories, Inc.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information. **For automatic specimen label updates, register at www.wmmg.com.**